"Serbisyong Maagap, Mapagkalinga at Tapat tungo sa Matatag na Kordilyera"

#### SUPPLEMENTAL/BID BULLETIN ADDENDUM NO. 01: ITB 2021-DSWD-CAR-20 May 28, 2021

This Addendum No. 01 is issued to modify, amend and clarify items in the Bid Documents issued for the Purchase of ICT Equipment for the establishment of Regional Operations Center. This shall form an integral part of the Bid Documents.

Description/		
Issues/ Concerns	From	То
Prescribed Marking and Sealing of Bids	None	See the attached/uploaded prescribed "Marking and Sealing of Bids"
Evidence as reference to the bidder's statement of compliance with the technical specifications	For the purpose of bid evaluation, the required evidence as reference to the statement of compliance shall be in the form of brand and <b>photo</b> of the product/item being offered. Bidders must indicate their statement of compliance, brand of the item being offered, and attach also the <b>respective photo</b> of the item being offered.	For the purpose of bid evaluation, the required evidence as reference to the statement of compliance shall be in the form of brand and brochure (with photo) of the product/item being offered. Bidders must indicate their statement of compliance, brand of the item being offered, and attach also the respective brochure of the item being offered.
Plans and Drawings of Infrastructure Component of the project site	None	For further reference on the project site, please see attached plans and drawings
Plan/specifications for the Installation of Generator Set	None	Please see attached plan and drawings for the installation of Generator Set
Specifications of the ATS for Generator Set	None	<ul> <li>Automatically changeover main supply to generator supply and vice versa.</li> <li>Automatically starts the generator when the main power fails and stops the Gen when power resumes.</li> <li>Manual start &amp; manual stop provided.</li> </ul>



focar@dswd.gov.ph







Rated frequency of	50Hz	60Hz
Generator Set		

#### **CLARIFICATIONS**

- For equipment that are composed of multiple part/components, each part/component should be also supported by an evidence as reference to the statement of compliance.
- For installation of equipment, lay-outing and finishing of wires, pipes, and conduits shall be the responsibility of the supplier.
- For similar contracts to the project to be bid, supply delivery and installation of ICT Equipment includes but limited to the following items:
  - LED Wall Display
  - Video Wall Processor
  - Audio and Discussion System
  - **Desktop Computer**
  - Laptop
  - Smart TV/Monitor
  - Uninterruptible Power Supply
  - Generator Set
  - **VTC** Equipment
  - etc.

For guidance and information.

ENRIQUE H. GASCON JR. Chairperson, Bids and Awards Committee







Standard Form Number: SF-GOOD-14

Revised on: May 24, 2004

#### FINANCIAL DOCUMENTS FOR ELIGIBILITY CHECK

A. Summary of the Applicant Supplier's/Distributor's/Manufacturer's assets and liabilities on the basis of the attached income tax return and audited financial statement, stamped "RECEIVED" by the Bureau of Internal Revenue or BIR authorized collecting agent, for the immediately preceding year and a certified copy of Schedule of Fixed Assets particularly the list of construction equipment.

		Year 20
1.	Total Assets	
2.	Current Assets	
3.	Total Liabilities	
4.	Current Liabilities	
5.	Net Worth (1-3)	
6.	Net Working Capital (2-4)	

В.	The Net Financial	Contracting	Capacity	(NFCC)	based	on t	he	above	data	is	computed
	as follows:										


	ilities) (15)] minus the value of all outstanding under ongoing contracts, including awarded the contract to be bid.
NFCC = P	
or	
Commitment from a licensed bank to extend cash deposit certificate in the amount of at le	d to it a credit line if awarded the contract or a least 10% of the proposed project to bid.
Name of Bank:	Amount:
Herewith attached are certified true copies of statement: stamped "RECEIVED" by the BIR immediately preceding year.	
Submitted by:	
Name of Supplier / Distributor / Manufacturer	
Signature of Authorized Representative Date :	

#### NOTE:

1. If Partnership or Joint Venture, each Partner or Member Firm of Joint Venture shall submit the above requirements.

The above information are among the financial documents required for Eligibility Check. Together with the legal and technical documents required, the financial documents shall be placed inside the Eligibility Envelope and submitted to the BAC on or before the deadline for the submission and receipt of Eligibility Envelopes.







PROJECT NAME :

IMPROVEMENT OF AN EXISTING OFFICE

#40 NORTH DRIVE, BAGUIO CITY

SHEET CONTENT:

AS SHOWN

APPROVED BY

ARNEL B. GARCIA, CESO II

Regional Director

CONFORMED BY

ENRIQUE H. GASCON JR.

OIC-Assistant Regional Director for Administr

CHECKED BY

RINA CLAIRE L. REYES

OIC Chief, Administrative Division

PREPARED BY

JOHN PHILLIP J. LAMSIS ENGINEER - BGMS

PROJECT/TA No:

DATE SUBMITTED:

DRAWING STATUS DESCRIPTION/REMARKS


SHEET NUMBER **A**3


GROUND FLOOR FRAMING PLAN





1 : 40 M















TYPICAL COLUMN SPLICE DETAIL



ROOF EAVES DETAILS

#### 1. REINFORCED CONCRETE

- 1.1 THE QUALITY AND DESIGN OF ALL REINFORCED CONCRETE CONSTRUCTION SHALL CONFORM TO THE BUILDING REQUIREMENT FOR REINFORCED CONCRETE (ACI - 318 - 7) AND MANUAL OF STANDARD PRACTICE FOR
- DETAILING RÈINFORCED CONCRETE STRUCTURES (ACI 315 615). 1.2 THE CONTRACTOR SHALL SUBMIT THE SCHEDULE OF CONCRETE POURING AND LOCATION OF CONSTRUCTION JOINTS TO THE ENGINEER AT LEAST THREE (3) DAYS BEFORE POURING FOR APPROVAL. THE CONTRACTOR SHALL KEEP ALL CONCRETE MOIST FOR A MINIMUM OF TWENTY FOUR (24) HOURS AFTER
- 1.3 THE CONFERENCE HAS BEEN MEED NORETE SHALL BE PREPARED. CURED AND TESTED AT A REPUTABLE LABORATORY BY THE CONTRACTOR FOR APPROVAL OF THE STRUCTURAL ENGINEER.
- 1.4 WHEN POURING CONCRETE, A MECHANICAL VIBRATOR SHALL BE USED TO INSURE ITS CONSISTENCY. NO CONCRETE SHALL BE POURED WITH A VERTICAL DROP OF NO MORE THAN TWO (2) METERS OTHERWISE, CHUTES MUST BE USED TO MAINTAIN QUALITY AND CONSISTENCY OF CONCRETE

#### 2. REINFORCING STEEL BARS:

- 2.1 ALL REINFORCING STEEL BARS UNLESS OTHERWISE SHOWN ON PLANS SHALL BE BILLET STEEL IN ACCORDANCE WITH ASTM SPECIFICATION DESIGNATION A 15 WITH DEFORMATION CONFORMING TO ASTM SPECIFICATION DESIGNATION
- 2.2 ONLESS OTHERWISE NOTED ON PLAN. BARS 12 mm AND SMALLER SHALL BE STRUCTURAL GRADE (GRADE 33) , BARS 16 mm AND LARGER SHALL BE
- 2.3 ALTERMEDIATE GRADE WIRED TOGETHER AND LAP SPLICES SHALL HAVE A MINIMUM LENGTH OF 40 TIMES BAR DIAMETER UNLESS OTHERWISE NOTED ON PLAN, NO MORE THAN FIFTY (50) PERCENT OF THE TOTAL NUMBER OF REINFORCING BARS SHALL BE SPLICED AT ANY ONE POINT FOR BEAMS AND
- 2.4 PAP SPLICE LOCATIONS SHALL BE;
- 2.4.1 BEAMS AND GIRDERSOP BARS AT MIDSPAN AND BOTTOM BARS AT SUPPORT. 2.4.2 COLUMNS AT MIDDLE THIRDS.
- 2.5 ALL REINFORCING BARS SHALL BE FREE FROM OIL, GREASE OR ANY OTHER SUBSTANCE BEFORE CONCRETE IS ALLOWED TO BE POURED TO INSURE PROPER BONDING OF CONCRETE AND STEEL.
- 2.6 THE MINIMUM CLEAR COVER FOR REINFORCING STEEL BARS SHALL BE AS 75 mm
- F204.4OW\$FOUNDATIONS SLABS ON GRADE
- 2.6.2 SURFACE EXPOSED TO WEATS/JERM FOR 20 mm DIA. AND LARGER BARS 2.6.3
- COLUMNS 40 mm
- BEAMS AND GIRDERS
- SUSPENDED SLAB AND STAIR20 mm 2.6.6
- R.C. WALLS AND SHEAR WALL25 mm

#### 2.7 ARRANGEMENT OF TWO - WAY SLAB REINFORCING BARS

- 2.7.1 IN TWO -WAY SLAB DETAILING, THE BARS ALONG THE SHORT SPAN BE AT THE LOWER LAYER FOR BOTTOM BARS AND AT THE UPPER LAYER FOR TOP BARS SO THAT THE BARS ALONG THE SHORTER SHALL HAVE THE BIGGER EFFECTIVE DEPTH UNLESS OTHERWISE NOTED OR DETAILED DUE
- 2.7.2 IFO THE CRONPT INVENTIFICATION CHANGEN FROM CONTROL OF TWO ADJACENT SPANS ARE DIFFERENT, THE SMALLER SPACING SHALL BE FOLLOWED OR ADOPTED ON BOTH SLAB PANELS AT THAT COMMON
- 2.8 UNLESSON BAR ARRANGEMENT SHALL BE SUCH THAT:
  - 2.8.1 WHEN A BEAM CROSSES A GIRDER, REST BEAM BARS ON TOP OF GIRDER BARS. REINFORCING BARS SHALL BE SYMMETRICAL ABOUT THE CENTERLINE WHENEVER POSSIBLE AND UPPER LAYERS SHALL BE PLACED DIRECTLY ABOVE THOSE IN THE BOTTOM LAYER
- 2.9 REINFORCING BAR PLACEMENT, ANCHOR BOLTS, DOWELLS AND OTHER INSERTS SHALL BE PROPERLY. SECURED IN THEIR POSITIONS AND INSPECTED BY THE WORKS ENGINEER BEFORE ANY CONCRETING ACTIVITY IS ALLOWED.

#### 3. CONCRETE MASONRY UNITS:

- 3.1 CELL CONTAINING REINFORCEMENTS SHALL BE SOLIDLY FILLED WITH GROUT IN LIETS NOT EXCEEDING 1200 mm AND POURING SHALL BE STOPPED BELOW THE TOP OF THE COURSE SUCH THAT A KEY SHALL BE PROVIDED AT POURING 3.2 WORNINGAL CELLS TO BE FILLED SHALL HAVE A VERTICAL ALLIGNMENT TO
- MAINTAIN A CONTINOUOS UN-OBSTRUCTED CELL AREA OF NOT LESS THAN 50
- 3.3 AND VERTICAL BARS SHALL BE HELD IN POSITION BY SECURING THEM BY MEANS OF TIE WIRES AT TOP AND BOTTOM OF REINFORCEMENT AND AT INTERVALS NOT TO EXCEED 192 TIMES THE BAR DIAMETER.

#### 4. FOUNDATION:

CONNECTION

ALL FOOTINGS SHALL REST ON NATURAL UNDISTURBED SOIL UNLESS OTHERWISE SPECIFIED ON PLAN. THE MINIMUM DEPTH OF FOUNDATION SHALL BE 1500 mm REFERRED FROM THE FINISHED GRADE LINE TO THE TOP OF

#### 5. FORMWORKS:

FORMS OF ADEQUATE SIZE AS TO SHAPE OF MEMBERS SHALL BE MAINTAINED AND SHORING SHALL BE IN-PLACE UNTIL CONCRETE HAS ATTAINED THEIR WORKING CONDITIONS AND STRENGTH.

SCHEDULE FOR THE REMOVAL OF FORMS SHALL BE AS FOLLOWS;

6.2.1 BEAMS, GIRDERS, AND SUSPENDED SLABS 622 COLUMNS AND BEARING WALLS

WHEN CONCRETE FLOOR IS TO BE POURED, AT LEAST TWO (2) FLOORS SHALL BE SHORED TO SUPPORT

#### 6. SIZES OF AGGREGATES TO BE USED:

6.1 THE FOLLOWING SHALL BE THE MAXIMUM SIZES OF AGGREGATES TO BE USED FOR VARIOUS PURPOSES OF CONCRETE CONSTRUCTION;

MINIMUM	REINFORCED	UN-REINFORCED	HEAVILY	LIGHTLY REINF.	
DIMENSIONS	WALLS, BEAMS	WALLS	REINFORCED	OR UN-REINF.	
OF SECTIONS (mm)	AND COLUMNS (mm)	(mm)	SLABS (mm)	SLABS (mm)	
63.50 - 127.00	12.50 - 19.00	19.00	19.00 - 25.40	19.00 - 38.10	
152.40 - 279.40	19.00 - 38.00	38.10	28.10	38.10 - 76.20	
304.80 - 736.60	13.80 - 76.20	76.20	38.10 - 76.20	76.20	
762.00 - OR MO	RE12.70 - 76.20	152.40	38.10 - 76.20	76.20 - 152.60	

#### 7. STRUCTURAL STEEL SECTIONS:

- 7.1 STRUCTURAL STEEL PLATES AND SHAPES SHALL CONFORM TO ASTM
- DESIGNATION A 36 WITH A MINIMUM SPECIFIED YEILD STRENGTH OF 248 7.2 MORD - FORMED STEEL SHALL CONFORM TO ASTM DESIGNATION A - 611 WITH A MINIMUM SPECIFIED YIELD STRENGTH OF 248 MPa.
- 7.3 WELDING ELECTRODES FOR MANUAL SHIELDED METAL ARC WELDING SHALL CONFORM TO E7018 AND TO THE AMERICAN WELDING SOCIETY 7.4 (ANWIS) USIFIE CHIECENEES NOT-WELD SHALL BE 6.00 mm.
- 7.5 ALL ANCHOR BOLTS SHALL CONFORM TO ASTM A 325 HIGH STRENGTH BOLTS.

#### 8. REFERENCE TO OTHER DRAWINGS:

8.1 SEE ARCHITECTURAL DRAWINGS FOR KINDS OF FLOOR FINISH DEPRESSIONS IN FLOOR SLABS, OPENINGS ON WALLS, SLBS, INTERIOR OCATIONS OF DRAINS, ETC.

#### 9. DIMENSIONS

9.1 IN THE INTERPRETATION OF THESE DRAWINGS, INDICATED DIMENSIONS SHALL GOVERN AND DISTANCES OR SIZES OF STRUCTURAL MEMBERS SHALL NOT BE SCALED FOR USE IN CONSTRUCTION.

#### 10. DISCREPANCIES

10.1 STRUCTURAL DRAWINGS SHALL BE COMPARED WITH THE ARCHITECTURAL DRAWINGS AS TO LAYOUT, DIMENSIONS AND ELEVATIONS. ANY DISCREPANCIES SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT OR ENGINEER FOR PROPER ACTION BEFORE EXECUTION OF THE WORK INVOLVED.

#### SHOP DRAWINGS:

THE CONTRACTOR SHALL SUBMIT TO THE ARCHITECT FOR APPROVAL SHOP OR SETTINGS DRAWING, TEMPLATES, OR PATTERNS BEFORE ANY ALTERATION, VARIATIONS OR CORRECTIONS FROM THE PLAN ARE EXECUTED OR IMPLEMENTED.

#### **FOUNDATION:**

THE WORK INCLUDED IN THIS DIVISION COMPRISES THE FURNISHING OF ALL LABOR, MATERIALS, AND OTHER FACILITIES AND THE SATISFACTORY PERFORMANCE OF ALL WORK NECCESSARY TO COMPLETE THE PREPARATION FOR FOUNDATION AND FOOTINGS SHOWN ON THE DRAWINGS AND SPECIFIED HERFIN

#### **CONCRETE WORKS:**

CONCRETE FOR ALL FOUNDATION ELEMENTS SHALL HAVE A MINIMUM 20-DAY COMPRESSIVE STRENGHT OF 3,000 Psi. DETAILS ARE SPECIFIED ON PLANS.

#### **CONCRETE CURING:**

AFTER FINISHING SURFACES. CURING SHALL BE DONE BY KEEPING THE CONCRETE MOIST FOR AT LEAST ONE (1) WEEK AFTER POURING. FLOOR AND VERTICAL SURFACES MAY BE SPRAYED WITH AN APPROVED PREPARATION TO RETARD EVAPORATING WATER OR MOIST PROVIDED, SPRAYING IS NOT OBJECTIONABLE BECAUSE OF SUBSEQUENT FINISH. CURING SHALL BEGIN AS SOON AS CONCRETE HAS ATTAINED ITS INITIAL SET.

#### **REPAIR OF CONCRETE:**

REPAIR OF CONCRETE IMPERFECTION SHALL BE COMPLETED WITHIN TWENTY FOUR (24) HOURS AFTER REMOVAL OF FORMS. PINE SHALL BE NEATLY REMOVED FROM EXPOSED SURFACES.

#### **CEMENT AND MASONRY** WORKS:

THE WORK INCLUDED IN THIS DIVISION SHALL INCLUDE LABOR, MATERIALS, EQUIPMENT AND OTHER FACILITIES FOR THE SATISFACTORY PERFORMANCE OF ALL NECCESSARY ACTIVITIES TO COMPLETE THE CEMENT AND MASONRY WORKS, WHICH ARE GIVEN IN THE DRAWINGS ARE SPECIFIED HEREIN.

#### MORTAR:

CEMENT MORTAR SHALL BE ONE (1) PART OF PORTYLAND CEMENT AND TWO (2) PARTS OF SAND BY VOLUME BUT NOT MORE THAN ONE (1) PART PORTLAND CEMENT AND THREE (3) PARTS OF SAND BY VOLUME MATERIAL.

#### **REINFORCED CONCRETE:**

THE CONTRACTOR SHALL FURNISH ALL LABOR AND MATERIALS TO COMPLETE CONCRETE WORKS AS SPECIFIED HEREIN, OR BOTH. INDICATED COOPERATE WITH OTHER TRADES REGARDING THE INSTALLATION OF EMBEDDED ITEMS. PORTLAND CEMENT SHALL BE USED AND SHALL CONFORM TO THE "SPECIFICATIONS FOR PORTLAND CEMENT" (ASTM C1 50 LATEST REVISION) FOR TYPE 1 PORTLAND

IMPROVEMENT OF AN EXISTING OFFICE

DEPARTMENT OF SOCIAL WELFARE AND DEVELOPMENT - CAR

AD BGMS-004 | REV 00

PROJECT NAME :

#40 NORTH DRIVE, BAGUIO CITY

SHEET CONTENT

AS SHOWN

APPROVED BY

ARNEL B. GARCIA, CESO II

Regional Director

CONFORMED BY

ENRIQUE H. GASCON JR.

OIC-Assistant Regional Director for Administra

CHECKED BY

RINA CLAIRE L. REYES OIC Chief. Administrative Division

PREPARED BY

JOHN PHILLIP J. LAMSIS **ENGINEER - BGMS** 


PROJECT/TA No:

DATE SUBMITTED:

**DRAWING STATUS** 

DATE DESCRIPTION/REMARKS


#### GENERAL STRUCTURAL SPECIFICATIONS & STRUCTURAL NOTES





TOP CHORD - WEB MEMBER CONNECTION


#### REINFORCING BAR BENDING SPECIFICATION


MINIMUM BEND DIAMETER BAR DIAMETER MIN. INSIDE DIAMETER 25<d<35 d>35 d-16 USED FOR STIRRUPS TIE
















- 2. COORDINATE THE DRAWING WITH OTHER RELATED DRAWINGS AND SPECIFICATIONS. THE ENGINEER SHALL BE NOTIFIED IMMEDIATELY OF ANY DISCREPANCY FOUND THEREIN
- 3. THE PLUMBING LAYOUT IS ONLY DIAGRAMMATIC, PIPES CLEANOUTS AND CHECK VALVES SHALL BE CONCEALED.
- ALL SLOPE OF HORIZONTAL BRANCHES (SEWER) MAINTAIN 1% A MINIMUM, UNLESS NOTED OTHERWISE.
- 5. AIR CHAMBER : ALL INDIVIDUAL BRANCHES TO FIXTURE OR GROUP OF FIXTURES AND/OR EQUIPMENT SHALL BE PROVIDED WITH AIR CHAMBER OF CAPPED VERTICAL PIPE EXTENSION OF DIMENSION AS SHOWN IN THE DETAIL
- 6. ALL FLOOR DRAIN SHALL BE VENTED INDIVIDUALLY.
- ALL CLEANOUTS SHALL BE FLUSH-MOUNTED TO WALL. DO NOT INSTALL FLOOR CLEANOUT EXCEPT AT LINES ON GRADE & SERVICE AREAS NOT SUBJECTED TO TRAFFIC.
- 8. ALL BRANCHES OF FIXTURE OR GROUP OF FIXTURES SHALL BE PROVIDED WITH AIR CHAMBER MADE OF CAPPED VERTICAL EXTENSION PIPE
- ALL UNDERGROUND GALVANIZED IRON (G.I.) INDIRECT CONTACT WITH SOIL SHALL BE PROVIDED WITH TWO(2) COATS OF TAR
- 10. ALL PVC PIPE SHALL BE OF APPROVED QUALITY AND POLYPROPYLENE PIPES FOR WATER DISTRIBUTION SHALL BE TYPE 20.
- 11. ALL PLUMBING WORKS THEREIN, SHALL BE UNDER THE DIRECT SUPERVISION OF A TRGISTERED MASTER PLUMBER AND OR A DULY LICENSED SANITARY ENGINEER.
- 12. WATER METER SHOULD BE LOCATED OUTSIDE THE PROPERTY LINE.
- 13. WATER SUPPLY FOR CISTERN AND SUPPLY LINE TO THE BUILDING MUST BE LOCATED ALONG PERIMETER FENCE 400m. HEIGHT ABOVE DRIVEWAY LEVEL WITH 3 LAYERS OF JUTE SACK AND BLACK COAL TAR.
- 14. WATER LINE LAYOUT FOR WASHROOM TO SUPPLY UNITS.
- 15. ALL WATER LINE SUPPLY FOR WASHROOMS SHALL NOT BE EMBEDDED IN SLAB, BLOCKS OUT SHALL BE PROVIDED FOR POSSIBLE DIRECTION OF PIPES.
- 16. ALL FINAL LOCATION OF TOILET FIXTURES SHALL BE BASED ON THE MODULAR SETTING OF TILES.
- 17. DOUBLE DRAINS FOR BATH TUBS.
- 18. DOWEL FOR DOWNSPOUTS AND REINFORCEMENT 100mm DIA. @ 600mm STAGGERED
- 19. PVC CEMENT FOR JOINTS WITH EPOXY OUTSIDE BONDING.
- 20. RISER SHOULD NOT CROSS MASTER'S BEDROOM OR OTHER MAIN AREAS.
- 21. GI. PIPE SHOULD BE PAINTED WITH RED LEAD OR BLACK COALTAR. IT SHOULD NOT BE EMBEDDED ON SLAB, SLEEVING OF PIPE IS REQUIRED ON BEAM. FOLLOW WATER LINE LAYOUT AS PER PLAN.

#### **VENT & DOWNSPOUT**

- 50 TO 150mm DIA. SHALL BE POLYVINYL CHLORIDE (PVC) PIPE

- 50 TO 150mm DIA. SHALL BE POLYVINYL (PVC) PIPE. SERIES 1000. MANUFACTURED ACCORDING TO ASTM 2729

- 20 TO 150mm DIA. SHALL BE POLYVINYL CHLORIDE (PVC) PIPE. SDR- 35 MANUFACTURED ACCORDING TO ASTM 3034

- SHALL BE POLYPROPYLENE PIPES (PN20) "BOR PLUS", "UNITEC", OR "VESBO"

> PIPE DIAMETER - ALL PIPE DIAMETERS INDICATED IN THE DRAWINGS ARE INSIDE DIAMETERS.





WATER METER

CHECK VALVE

WATER LINE

SOIL PIPE

WASTE PIPE

=:=:=:= DRAINAGE PIPE

WP WATER PIPE

HB HOSE BIBB

KS KITCHEN SINK

WC WATER CLOSET

**HVP** HORIZONTAL VENT PIPE **VENT THRU WALL** VTW

V WP VERTICAL WASTE PIPE

VΡ VENT PIPE

CO **CLEAN OUT** 

SP SOIL PIPE

DP DOWN SPOUT/ ROOF DRAIN

FD FLOOR DRAIN

SHOWER FLOOR DRAIN SFD

SH SHOWER HEAD

**CATCH BASIN** CB

SV SEPTIC VAULT


GT **GREASE TRAP** 


L **LAVATORY** 

CT **CISTERN TANK** 


ST SUMP TANK













**GREASE TRAP DETAIL** 











SLAB DETAIL

FLOOR CLEANOUT UNDER







FLOOR CLEANOUT DETAIL


FLOOR DRAIN MOUNTING **DETAIL** 

#### INSTALLED AT 2% OR 20mm SLOPE PER METER RUN











PROJECT NAME :

IMPROVEMENT OF AN EXISTING OFFICE

OCATION

#40 NORTH DRIVE, BAGUIO CITY

SHEET CONTENT :

AS SHOWN

APPROVED BY

ARNEL B. GARCIA, CESO II

Regional Director CONFORMED BY

ENRIQUE H. GASCON JR.

OIC-Assistant Regional Director for Administra

CHECKED BY

RINA CLAIRE L. REYES OIC Chief, Administrative Division

PREPARED BY

JOHN PHILLIP J. LAMSIS **ENGINEER - BGMS** 


PROJECT/TA No:

DATE SUBMITTED:

**DRAWING STATUS** 

DATE DESCRIPTION/REMARKS

SHEET NUMBER А3



- ALL ELECTRICAL WORKS AND INSTALLATIONS HEREIN SHALL BE DONE IN ACCORDANCE WITH THE PROVISIONS OF THE LATEST APPROVED EDITION OF PHILIPPINE ELECTRICAL CODE, WITH THE RULES AND REGULATIONS OF THE NATIONAL AND LOCAL AUTHORITIES CONCERNED IN THE ENFORCEMENT OF ELECTRICAL LAWS AND ORDINANCES AND WITH THE RULES AND REGULATIONS OF THE UTILITY COOPERATIVE CONCERNED.
- POWER SERVICE TO THE BUILDING SHALL BE 230V, 3 PHASE, 4 WIRE, 2. 60 HERTZ SYSTEM.
- WIRING METHOD SHALL BE AS INDICATED IN THE SPECIFICATION.
- UNLESS OTHERWISE SPECIFIED IN THE PLAN, MINIMUM SIZE OF WIRES AND CONDUITS SHALL BE #3.5 mm THWN AND 13mm NOMINAL DIAMETER RESPECTIVELY. WIRES SHALL BE INSULATED FOR RATING SUITED FOR THE **EQUIPMENT SERVED**
- GENERAL USE RECEPTACLES SHALL BE RATED 10 AMPERES. 2 POLE. 250 VOLTS, GROUNDING TYPE WITH PARALLEL SLOTS, SPECIAL PURPOSE OUTLET SHALL BE THE TYPE RATING SUITED FOR THE EQUIPMENT SERVED
- ALL ACCESSORIES, SPLICING DEVICES, TERMINATIONS AND OTHER APPURTENANCES FOR THE ENTIRE INSTALLATIONS SHALL BE OF THE APPROVED TYPE FOR BOTH LOCATION AND PURPOSE INTENDED
- ALL ELECTRICAL EQUIPMENT SHALL PROPERLY GROUNDED IN ACCORDANCE WITH THE REQUIREMENT OF THE LATEST EDITION OF THE PHILIPPINE ELECTRICAL CODE.
- ALL MATERIALS TO BE USED SHALL BE NEW AND OF THE APPROVED TYPE FOR BOTH LOCATION AND EQUIPMENT SERVED.
- OUTLET BOXES SHALL BE FABRICATED FROM 1.5 mm THK. GALVANIZED IRON SHEET OR PVC BOXES EQUIVALENT AS FOLLOWS:
  - a. CEILING LIGHT OUTLETS 40mm DEEP, 100mm OCTAGONAL BOX FOR 1 OR 2 RACEWAY ENTRIES, 55mm DEEP, 100mm OCTAGONAL BOX FOR 3 OR MORE RACEWAY ENTRIES
  - b. LIGHT CONTROL SWITCH 40mm DEEP, 50mm X 100mm DEEP UTILITY BOX FOR 1 OR 2 RACEWAY ENTRIES IN ONE STRAP, 55mm DEEP, 50mm X 100mm UTILITY BOX FOR 3 SWITHCHES IN ONE STRAP.
  - c. CONVENIENCE OUTLETS 55mm DEEP UTILITY BOX
  - d. TELEPHONE AND TV OUTLETS 55mm DEEP UTILITY BOX
- MCC MOTOR CONTROL CENTER SHOULD BE UNITIZED PANEL FOR ALL440 VOLTS EQUIPMENT INCLUDING FIVE(5) INGLE PHASE WELDING MACHINES.
- PVC CONDUITS SHALL BE EMBEDDED IN CONCRETE SLABS OR WALLS.
- A REMOVABLE CIRCUIT DIRECTORY SHALL BE PROVIDED FOR 12. EACH PANEL BOARDS FOR FIELD MARKINGS OF FUNCTION AND NUMBER OF EACH BRANCH CIRCUIT ALL DIRECTORIES SHALL BE OF INCORRODIBLE MATERIALWITH MATCHING CLEAR PLASTIC HOLDER OR JACKET.
- ALL ELECTRICAL CIRCUITS SHALL BE WIRED ACCORDING TO THE PANEL BOARD LOAD SCHEDULE.
- ANY ALTERATION IN THE DESIGN HOWEVER MINOR SHALL BE REPORTED TO THE DESIGN ENGINEER FOR APPROVAL AND RECORDS.
- ALL ELECTRICAL WORKS HEREIN SHALL BE DONE UNDER THE DIRECT SUPERVISION OF A DULY LICENSED ELECTRICAL ENGINEER.


#### A. SERVICES:

POWER SUPPLY COMING FROM THE EXISTING ELECTRIC POWER DISTRIBUTION SYSTEM SHALL BE THREE-PHASE, THREE-WIRE PLUS GROUND, 230V AC.60HZ.

#### B. POWER SYSTEMS:

- UNLESS OTHERWISE INDICATED ON DRAWINGS, ALL MOTOR SHALL BE FURNISHED, SET UP AND SECURE IN PLACE BY OTHERS TRADES.
- UNLESS OTHERWISE INDICATED ON DRAWINGS, THE ELECTRICAL 2. CONTRACTOR SHALL DO ALL WIRING FOR POWER, INCLUDING THE CONNECTION UP TO THE MOTORS AND SUCH AS LINE SWITCHES, MOTOR STARTERS, SPEED REGULATORS, CIRCUIT BREAKERS, COMPENSATORS OR ANY OTHER APPLIANCES THAT MAY BE FURNISHED WITH THE MOTORS HE SHALL ALSO HAVE THERE THE PRESENCE OF HIS REPRESENTATIVE WHEN THE MOTORS ARE FIRST STARTED BY THE TRADE FURNISHING IT IN ORDER TO DETERMINE IF CORRECTLY DONE
- C. POWER AND LIGHTING DISTRIBUTION SYSTEM:
  - FURNISHED AND INSTALL THE LIGHTING RECEPTACLES AND POWER PANELS AS INDICATED ON PLANS AND PANELBOARD **SCHEDULES**
  - FROM THE MAIN BREAKER. INSTALL FEEDERS TO THE VARIOUS OUTLYING PANELS, MOTORS OR EQUIPMENT AS SHOWN ON THE PLANS. FEEDERS SHALL BE UNDERGROUND IN REINFORCED CONCRETE ENCASEMENT UNLESS OTHERWISE NOTED.





CEILING RECESSED TYPE DUST PROOF 3-T836W DAYLIGHT 2-T10/40W, 220V DAYLIGHT LIGHTING FIXTURE WITH DIFFUSER



18W (300mm X 300mm X 50mm) SURFACE MOUNTED SQUARE DOWNLIGHT ULTRA-THIN I FD PANEL



CIRCUIT HOMERUN

SWITCH LINE



LIGHTING LINE/ POWER LINE

PANEL BOX (PB1, PB2, MDP)

SINGLE POLE SWITCH

 $S_1$  $S_2$ 

DUPLEX (2 SINGLE POLE SWITCHES IN ONE SWITCH PLATE

 $S_3$ 

TRIPLEX (3 SINGLE POLE SWITCHES IN ONE SWITCH PLATE

 $s_{3W}$ 

THREE WAY SWITCH



**EMERGENCY LAMP** 



DUPLEX CONVENIENCE OUTLET



EXHAUST FAN OUTLET WEATHERPROOF OUTLET



WATER HEATER-DUPLEX

RECEPTACLE.FLUSH MOUNTED



PANEL BOARD: PB 01

LOAD DESCRIPTION

CKT. 1 LIGHTING OUTLETS

CKT. 2 LIGHTING OUTLETS

CKT. 3 LIGHTING OUTLETS

CKT. 7 SPARE

CKT. 8 SPARE

CKT. 4 CONVENIENCE OUTLETS

CKT. 5 CONVENIENCE OUTLETS

CKT. 6 CONVENIENCE OUTLETS

TOTAL

I<sub>TOTAL</sub> = (38.78) (0.85 DF) = 32.96 A

**LEGEND & SYMBOLS** 

L.O. SW

18 2

18 2

20 3

C.O.

9

56 7 26 8 920

PROTECTION: 100AT 230V, 1Ø, 3 POLE 10KAIC 100AF MCB, BOLT ON TYPE IN NEMA 1 ENCLOSURE

FEEDER: 2 - 50 0MM2 THHN CU WIRE + 1 - 8 0 MM2 THHN CU WIRE IN 40MM Ø RSC

COMPUTED

TOTAL LOAD (VA)

720

720

800

1620

2160

1000

1000

900

VOLTS

230

230

230

230 3.13

230 3.48

230 7.04

230 4.35


230 4.35

3.13

3 91

9.39

38.78



SINGLE LINE DIAGRAM

15 AT 50 A 10 2 - 3.5 mm<sup>2</sup> THHN CU. WIRE

15 AT 50 A 10 2 - 3.5 mm<sup>2</sup> THHN CU. WIRE

15 AT 50 A 10 2 - 3.5 mm<sup>2</sup> THHN CU. WIRE + 5.5MM<sup>2</sup> THHN CU. WIRE

30 AT 50 A 10 2 - 3.5 mm<sup>2</sup> THHN CU. WIRE + 5.5MM<sup>2</sup> THHN CU. WIRE

30 AT 50 A 10 2 - 3.5 mm<sup>2</sup> THHN CU. WIRE + 5.5MM<sup>2</sup> THHN CU. WIRE

20 AT | 50 A | 10 | 2 - 3.5 mm<sup>2</sup> THHN CU. WIRE + 3.5MM<sup>2</sup> THHN CU. WIRE

20 AT 50 A 10 2 - 3.5 mm<sup>2</sup> THHN CU. WIRE + 3.5MM<sup>2</sup> THHN CU. WIRE

10 2 - 3.5 mm<sup>2</sup> THHN CU. WIRE + 3.5MM<sup>2</sup> THHN CU. WIRE

SIZE OF WIRE

AD RGMS-004 | REV 00

DEPARTMENT OF SOCIAL WELFARE AND DEVELOPMENT - CAR

PROJECT NAME :

IMPROVEMENT OF AN EXISTING OFFICE

LOCATION

#40 NORTH DRIVE, BAGUIO CITY

SHEET CONTENT

AS SHOWN

APPROVED BY

ARNEL B. GARCIA, CESO II

Regional Director CONFORMED BY

ENRIQUE H. GASCON JR.

OIC-Assistant Regional Director for Administr

CHECKED BY

RINA CLAIRE L. REYES OIC Chief, Administrative Division

PREPARED BY

JOHN PHILLIP J. LAMSIS **ENGINEER - BGMS** 

PROJECT/TA No:

CONDUIT SIZE

20 mm dia, PVC

20 mm dia. PVC

20 mm dia, PVC

20 mm dia. PVC

20 mm dia. PVC

20 mm dia. PVC

DATE SUBMITTED:

**DRAWING STATUS** 

DATE DESCRIPTION/REMARKS

SHEET NUMBER А3

3

LOAD SCHEDULE & COMPUTATION


AMPERES


AB BC CA 3PH

PROTECTION

AT AF KAIC

50 A





#### **Bid Securing Declaration Form**

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)	
CITY OF	_) S.S.

#### BID SECURING DECLARATION Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
  - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

#### **Bid Form for the Procurement of Goods**

[shall be submitted with the Bid]

	BID FORM
	Date : Project Identification No. :
To: Iname an	ad address of Procuring Entity]
ro. įnamo an	a dadross of Freeding Enacy
Supplemental acknowledged Goods] in configures] or the and other bid made part of limited to: [sp	g examined the Philippine Bidding Documents (PBDs) including the or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly d, we, the undersigned, offer to [supply/deliver/perform] [description of the nformity with the said PBDs for the sum of [total Bid amount in words and total calculated bid price, as evaluated and corrected for computational errors, modifications in accordance with the Price Schedules attached herewith and this Bid. The total bid price includes the cost of all taxes, such as, but not necify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) and (iv) other fiscal levies and duties], which are itemized herein or in the Price
If our E	Bid is accepted, we undertake:
a.	to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
b.	to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
C.	to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.
Comm	this paragraph if Foreign-Assisted Project with the Development Partner: issions or gratuities, if any, paid or to be paid by us to agents relating to this ntract execution if we are awarded the contract, are listed below:
	dress Amount and Purpose of ncyCommission or gratuity
(if none, state	"None") ]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name:	
Legal capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	

### STATEMENT OF **ALL** ON-GOING GOVERNMENT AND PRIVATE CONTRACTS, INCLUDING CONTRACTS AWARDED BUT NOT YET STARTED, WHETHER SIMILAR OR NOT SIMILAR IN NATURE

Name of Contract/ Title of the Project	a. Owner's Name b. Address c. Telephone Nos.	Date of the Contract	Contract Duration	Kinds/Nature of Goods or Services	Amount of Contract	Value of Outstanding Contracts/ Undelivered Portion	Date of Completion/ Delivery
<b>Government Contracts</b>							
i. On-going							
ii. Awarded but not yet started							
Private Contracts							
i. On-going							
ii. Awarded but not yet started							
Total Cost							

Note: This statement shall be supported with the following:

- 1. Notice of Award and/or Contract/Purchase Order
- 2. Notice to Proceed (for government transactions only under Public Bidding)

Submitted by	:	
,	(Printed Name & Signature)	
Designation	:	
Date	:	

#### **Statement of Single Largest Similar Completed Contract**

Business Name: Business Address :						
Name of Contract/ Title of the Project	a. Owner's Name b. Address c. Telephone Nos.	Date of the Contract	Contract Duration	Kinds/Nature of Goods or Services	Amount of Completed Contract	Date of Completion/ Delivery
Government Contracts						
Private Contracts						
Total Cost						
Note: This statement shall be s	supported with End-user's	Acceptance o	r Official Receipt	s <sup>1</sup> or Sales Invoice		
Submitted by	(Printed Name & Cianature)		<u> </u>			
Designation	(Printed Name & Signature)					
Date	!					

<sup>&</sup>lt;sup>1</sup> Official Receipt or its equivalent document for payment of goods and services <u>per BIR Revenue Regulations No. 18-2012 "Regulations in the Processing Authority to Print (ATP) Official Receipts, Sales Invoice, and other Commercial Invoices using the On-line ATP System and Providing for the Additional Requirements in the Printing Thereof".</u>

#### **Price Schedule for Goods Offered from Within the Philippines**


Name of Bidder:	•	Page <u>1</u> of <u>1</u>
Invitation to Bid No. <u>2021-DSWD-CAR-20</u>		


1	2	3		4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity Unit price EXW per item		Unit price EXW	Transportation and Insurance and all	ance and all her costs contract is	Cost of Incidental Services, if applicable, per	Total Price,	Total Price delivered Final Destination
					_	other costs incidental to			per unit	(col 9) x (col 4)
					delivery, per item	awarded, per item	item	(col 5+6+7+8)		
1	LED WALL DISPLAY		1	Set		-	-	-	•	-
2	VIDEO WALL PROCESSOR		1	Set		•	-		1	-
3	VIDEO CONFERENCING SYSTEM		1	Set		-	-	-	-	-
4	AUDIO AND DISCUSSION SYSTEM					-	-	-	-	-
	4.1. Chairman Unit		1	Unit		-	-	-	-	-
	4.2. Delegate Unit		19	Units		-	-	-	-	-
	4.3. Wireless Microphone		2	Units		-	-	-	-	-
	4.4. Mixing Amplifier		1	Unit		-	-	-	-	-
	4.5. Wall speaker		4	Unit		-	-	-	-	-
5	WORKSTATION COMPUTER		3	Sets		-	-	-	-	-
6	LAPTOP		2	Units		-	-	-	-	-
7	65" SMART TV/MONITOR		3	Units		-	-	-	-	-
8	UNINTERRUPTIBLE POWER SUPPLY		1	Unit		•	-		ı	-
9	GENERATOR w/ ATS		1	Set		•	-		ı	•
10	VTC Equipment Set					-	-	-	1	-
	10.1. Monitor		2	Units		-	-	-	ı	-
	10.2. Camera		2	Units		-	-	-	ı	-
	10.3. Speaker-Microphone		2	Units		1	-	1	1	-
	Total									-

#### NOTES:

- 1. In case a column is not applicable for an offered item, just indicate "-" or "0".
- 2. Leaving columns 6,7,8, as blank or indicating other symbol/s such as "Not Applicable", "NA", etc. shall be automatically deemed as not responsive.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	





#### PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

# Procurement of GOODS

Government of the Republic of the Philippines

Sixth Edition July 2020

#### **Preface**

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

#### **Table of Contents**

Glossa	ary of Acronyms, Terms, and Abbreviations	4
Sectio	n I. Invitation to Bid	7
Sectio	n II. Instructions to Bidders	10
1.	Scope of Bid	11
2.	Funding Information	11
3.	Bidding Requirements	11
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	11
5.	Eligible Bidders	11
6.	Origin of Goods	12
7.	Subcontracts	12
8.	Pre-Bid Conference	12
9.	Clarification and Amendment of Bidding Documents	12
10.	Documents comprising the Bid: Eligibility and Technical Components	12
11.	Documents comprising the Bid: Financial Component	13
12.	Bid Prices	13
13.	Bid and Payment Currencies	14
14.	Bid Security	14
15.	Sealing and Marking of Bids	14
16.	Deadline for Submission of Bids	14
17.	Opening and Preliminary Examination of Bids	14
18.	Domestic Preference	15
19.	Detailed Evaluation and Comparison of Bids	15
20.	Post-Qualification	15
21.	Signing of the Contract	16
Sectio	n III. Bid Data Sheet	17
Sectio	n IV. General Conditions of Contract	19
1.	Scope of Contract	20
2.	Advance Payment and Terms of Payment	20
3.	Performance Security	20
4.	Inspection and Tests	20
5.	Warranty	21
6.	Liability of the Supplier	21
Sectio	n V. Special Conditions of Contract	22
	n VI. Schedule of Requirements	
	n VII. Technical Specifications	
	n VIII. Checklist of Technical and Financial Documents	
	ar v arre valvolskiho na rockilikom milu i kimilomi Dukulikim Dukulikim zakaka	

## Glossary of Acronyms, Terms, and Abbreviations

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means "delivered duty paid."

**DTI** – Department of Trade and Industry.

EXW - Ex works.

**FCA** – "Free Carrier" shipping point.

**FOB** – "Free on Board" shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**— Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB – Government** Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

#### Section I. Invitation to Bid

#### **Notes on the Invitation to Bid**

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.





## INVITATION TO BID FOR Purchase of ICT Equipment for the establishment of Regional Operations Center ITB 2021-DSWD-CAR-20

1. The Department of Social Welfare and Development – Cordillera Administrative Region, through the General Appropriations Act of 2021 intends to apply the sum of Six Million Pesos Only (Php 6,000,000.00) being the ABC to payments under the contract for the Purchase of ICT Equipment for the establishment of Regional Operations Center.

Bids received in excess of the ABC for each lot shall be automatically rejected at bid opening.

- 2. The *Department of Social Welfare and Development CAR* now invites bids for the above Procurement Project. Delivery of the Goods is required by *Thirty Calendar Days (30) based on the period to be mentioned in the Notice to Proceed.* Bidders should have completed, within from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
  - Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from *Department of Social Welfare and Development CAR* and inspect the Bidding Documents at the address given below during *8:00AM to 5:00PM*, Monday to Friday.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on *May* 19, 2021 to 9:00 AM of June 8, 2021 from the given address and website(s) below and upon payment at the Cash Section of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, the amount to be paid shall be Ten Thousand Pesos (Php10,000.00).
- 6. The Department of Social Welfare and Development-CAR will hold a Pre-Bid Conference<sup>1</sup> on 10:00AM of May 26, 2021 at DSWD-CAR Premises and through video conferencing or Google Meet with meeting ID/Link as <a href="https://meet.google.com/kku-vqrz-ahs">https://meet.google.com/kku-vqrz-ahs</a>, which shall be open to prospective bidders.

<sup>1</sup> May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a Pre-Bid Conference.





- 7. Bids must be duly received by the BAC Secretariat and personally submitted by the bidder/bidder's representative at the office address indicated below on or before 9:00AM (PST) of June 8, 2021. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on 10:00 AM of June 8, 2021 at DSWD-CAR Premises and via Google Meet with meeting ID/Link as <a href="https://meet.google.com/bmp-sicm-vuf">https://meet.google.com/bmp-sicm-vuf</a>.
  Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. The *Department of Social Welfare and Development* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

BAC SECRETARIAT
Procurement Section
DSWD-CAR
#40 North Drive, Baguio City
Bacsec.car@dswd.gov.ph
(074) 661-0430 Local 25025 / (02) 396-6580

12. You may visit the following website for downloading of Bidding Documents: https://car.dswd.gov.ph/downloads/procurement/procurement-opportunities/

> -SGD-ENRIQUE H. GASCON JR. BAC Chairperson





#### Section II. Instructions to Bidders

#### **Notes on the Instructions to Bidders**

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

#### 1. Scope of Bid

The Procuring Entity, *Department of Social Welfare and Development - CAR* wishes to receive Bids for the *Purchase of ICT Equipment for the establishment of Regional Operations Center* with identification number *ITB 2021-DSWD-CAR-20*.

The Procurement Project (referred to herein as "Project") is composed of *10 items* – breakdown under Section VI (Schedule of Requirements), the details of which are described in Section VII (Technical Specifications).

#### 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2021 in the amount of Six Million Pesos Only (Php 6,000,000.00).
- 2.2. The source of funding is:
  - a. NGA, the GAA of 2021.

#### 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

#### 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the

value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

### The bidder should comply with the following requirements:

- i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *twenty-five percent* (25%) of the ABC for this Project; and
- ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

## 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

### 7. Subcontracts

7.1. The Procuring Entity has prescribed that:

Subcontracting is not allowed.

### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address **DSWD-CAR Premises** and/or through videoconferencing/Google Meet as indicated in paragraph 6 of the **IB**.

## 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

### 10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in ITB Clause 5.3 should have been completed within prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent

office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

## 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.

## 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the IB shall not be accepted.

11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

### 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in e.
  - b. For Goods offered from abroad:
    - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
    - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

## 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
  - a. Philippine Peso.

## 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration<sup>2</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid for **120 calendar days** from the date of bid opening. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

## 15. Sealing and Marking of Bids

### Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

### 16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

## 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing,

<sup>&</sup>lt;sup>2</sup> In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

### 18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

## 19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

### One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

## 20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid,

the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

## 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

[Include the following clauses if Framework Agreement will be used:]

- 21.2. At the same time as the Procuring Entity notifies the successful Bidder that its bid has been accepted, the Procuring Entity shall send the Framework Agreement Form to the Bidder, which contract has been provided in the Bidding Documents, incorporating therein all agreements between the parties.
- 21.3. Within ten (10) calendar days from receipt of the Notice to Execute Framework Agreement with the Procuring Entity, the successful Bidder or its duly authorized representative shall formally enter into a Framework Agreement with the procuring entity for an amount of One Peso to be paid to the procuring entity as a consideration for the option granted by the procuring entity to procure the items in the Framework Agreement List when the need arises.
- 21.4. The Procuring Entity shall enter into a Framework Agreement with the successful Bidder within the same ten (10) calendar day period provided that all the documentary requirements are complied with.
- 21.5. The following documents shall form part of the Framework Agreement:
  - a. Framework Agreement Form;
  - b. Bidding Documents;
  - c. Call-offs;
  - d. Winning bidder's bid, including the Technical and Financial Proposals, and all other documents/statements submitted (*e.g.*, bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;
  - e. Performance Security or Performance Securing Declaration, as the case may be;
  - f. Notice to Execute Framework Agreement; and
  - g. Other contract documents that may be required by existing laws and/or specified in the **BDS**.

## Section III. Bid Data Sheet

## **Notes on the Bid Data Sheet**

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

## **Bid Data Sheet**

ITB	
Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	a. Supply, delivery and installation of ICT Equipment
	b. Completed within two years (June 2019 to June 2021) prior to the deadline for the submission and receipt of bids.
7.1	Not applicable
12	The price of the Goods shall be quoted in DDP <i>Baguio City</i> , <i>Philippines</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	a. The amount of not less than <b>2% of the ABC</b> of each lot, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than <b>5% of the ABC</b> of each lot if bid security is in Surety Bond.
19.3	Not Applicable
20.2	Not Applicable
21.1	Not Applicable

## Section IV. General Conditions of Contract

## **Notes on the General Conditions of Contract**

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

## 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).** 

## 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

## 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

## 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

## 5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

## 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

## Section V. Special Conditions of Contract

## **Notes on the Special Conditions of Contract**

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

**Special Conditions of Contract** 

aaa	Special Conditions of Contract
GCC Clause	
1	[List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:]
	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	[For Goods supplied from abroad, state:] "The delivery terms applicable to the Contract are DDP delivered [indicate place of destination]. In accordance with INCOTERMS."
	[For Goods supplied from within the Philippines, state:] "The delivery terms applicable to this Contract are delivered [indicate place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is [indicate name(s)].
	Incidental Services –
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest.
	a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;
	b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;
	c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
	d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and

- e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.
- f. [Specify additional incidental service requirements, as needed.]

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

## Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
  - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
  - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI** (**Schedule of Requirements**) and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [indicate here the time period specified. If not used indicate a time period of three times the warranty period].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [insert appropriate time period] months of placing the order.

### Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity
Name of the Supplier
Contract Description
Final Destination
Gross weight
Any special lifting instructions
Any special handling instructions
Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

### Transportation –

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. **Intellectual Property Rights –** The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof. [If partial payment is allowed, state] "The terms of payment shall be as follows: 2.2 4 The inspections and tests that will be conducted are: [Indicate the applicable inspections and tests]

## Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item No.	Item Description	Quantity
1	LED WALL DISPLAY	1 Set
2	VIDEO WALL PROCESSOR	1 Set
3	VIDEO CONFERENCING SYSTEM	1 Set
4	AUDIO AND DISCUSSION SYSTEM	
	4.1. Chairman Unit	1 Unit
	4.2. Delegate Unit	19 Units
	4.3. Wireless Microphone	2 Units
	4.4. Mixing Amplifier	1 Unit
	4.5. Wall speaker	4 Units
5	WORKSTATION COMPUTER	3 Sets
6	LAPTOP	2 Units
7	65" SMART TV/MONITOR	3 Units
8	UNINTERRUPTIBLE POWER SUPPLY	1 Unit
9	GENERATOR w/ ATS	1 Set
10	VTC Equipment Set	
	10.1. Monitor	2 Units
	10.2. Camera	2 Units
	10.3. Speaker-Microphone	2 Units

<sup>\*</sup>Place of Delivery – DSWD-CAR #40 North Drive, Baguio City

## Section VII. Technical Specifications

## **Notes for Preparing the Technical Specifications**

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

### Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "or at least equivalent." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

## **Technical Specifications**

Item	Specification	Statement of Compliance	Brand Offered
	[Bidders must state here either "Comply" or "Nindividual parameters of each Specification stating parameter of the equipment offered (includin conditions). Statements of "Comply" or "Not Comply" or "Not Complete in a Bidders Bid and cross-referenced to in the form of manufacturer's un-amended sales lite of specification and compliance issued by the manufact data etc., as appropriate. A statement that is subsequently found to be contradicted by the evident under evaluation liable for rejection. A statement example or the supporting evidence that is four evaluation, post-qualification or the execution of the fraudulent and render the Bidder or supplier liab applicable laws and issuances.]	g the corresponding the prescr Comply" must that evidence. The erature, unconding the erature, same not supported when the Bid and to be false the Contract mo	ding performance ibed terms and be supported by Evidence shall be itional statements ples, independent by evidence or is vill render the Bid der's statement of either during Bid ty be regarded as
	LED WALL DISPLAY		
1	<ul> <li>Ultra-High-Definition LED Display: ≥2m (H) X≥3m (W)</li> <li>Dimension: (W x H) 250 mm X 250 mm</li> <li>Pixel Pitch: ≤2.8 mm</li> <li>Resolution: (W x H) ≥ 88 X 88</li> <li>Pixel Configuration: 1R, 1G, 1B</li> <li>Pixel Density: ≥ 123,904 dots/sq. m</li> <li>Brightness Control: 256 Level Grade</li> <li>IP Grade: IP30</li> <li>Grayscale: 16 bits</li> <li>Brightness: 900/2200(HB)cd/m2</li> <li>Refresh Frequency: 3,840 Hz</li> <li>Input Voltage: 86 ~ 264 Volt</li> <li>Signal Input Format: Composite, S-Video, VGA, DVI, YPbPr, HDMI, SDI</li> </ul>		

Item	Specification	Statement of Compliance	Brand Offered
	VIDEO WALL PROCESSOR		
2	<ul> <li>DVI or HDMI I/O videowall controller with built-in preview</li> <li>Input: ≥ 6</li> <li>Output: ≥ 2</li> <li>Color Depth: 24-bit</li> <li>Chroma Subsampling: 8-bit processing, 4:4:4</li> <li>Resolution (I/O): ≥1920x1200 @ 60Hz</li> <li>Scale: 8x8</li> <li>Physical Ports: DVI or HDMI</li> <li>Operating Temperature: -20 °C to 45 °C</li> <li>Storage Temperature: -30 °C to 70 °C</li> <li>Operating Humidity: 10% to 85%, Noncondensing Storage Humidity: 10% to 90%, Non-condensing Control: UDP, RS232</li> <li>MTBF: 100,000 hrs</li> <li>The built-in feature allows preview of input sources and the videowall configuration in realtime</li> <li>Pure hardware FPGA array. No embedded OS, designed for 24x7 mission critical working condition</li> <li>Flexible windowing supports arbitrary layout, scaling, stretching and PiP (Picture in Picture)</li> <li>Maximum 8x windows per display and 16x windows per videowall</li> <li>Boot up in 15s, source switching response time less than 20ms, scenes recalling response time less than 16ms</li> <li>The intuitive user interface allows efficient reaction time and reduced learning cost.</li> </ul>		
	VIDEO CONFERENCING SYSTEM		
3	<ol> <li>Camera and HD Recording and Streaming CCU</li> <li>USB3.0 plug &amp; play and HDMI video output interface</li> <li>Full HD 1080p high-definition signal output format with a high frame rate of 60 fps</li> <li>Up to 12x optical zoom</li> <li>Horizontal viewing angle: 70°</li> <li>Compatible with Windows, Linux, MAC OSX, and Chrome OS</li> <li>Recording and Streaming CCU</li> <li>4 Channel FHD 1080p 60FPS video inputs: IP streaming or HDMI</li> <li>2 Channel HDMI outputs: Multi View quad view or PGM (programmed video)</li> </ol>		

Item	Specification	Statement of Compliance	Brand Offered
	<ul> <li>i. Supports TSMP, HLS, RSTP and TS protocols for broadcasting videos online</li> <li>j. Allows text and image overlay</li> <li>k. Equipped with Web UI</li> <li>l. With built-in 1 TB hard disk and NAS for data saving</li> <li>m. Wireless Presentation Gateway System, w/ 1 Presentation Dongle</li> <li>n. HDMI Cable, High Speed with Ethernet</li> <li>o. USB 2.0 Cat 5 Extender up to 60m</li> <li>p. Should be able to autofocus on the person who is speaking during video conferencing/meetings</li> </ul>		
4	AUDIO AND DISCUSSION SYSTEM		
	<ul> <li>4.1. Chairman Unit</li> <li>Series Chairman Unit; Tabletop unit with OLED display showing the operation mode and ID number of the unit, and chairman speaking mode setting. Has precise voice-activation</li> </ul>		
	<ul> <li>4.2. Delegate Unit</li> <li>Series Delegate Unit; Tabletop unit with OLED display showing the operation mode and ID number of the unit. Has precise voice-activation</li> <li>DIN Type, 43cm single neck microphone</li> </ul>		
	<ul> <li>4.3. Wireless Microphone</li> <li>a. Receiver Specification: Frequency Range UHF 480 – 934 MHz</li> <li>• Stability: ≤ ±0.005% (-10 - +60°C)</li> <li>• Sensitivity: 10 dBμV at S/N &gt; 80 dB</li> <li>• S/N Ratio: &gt; 106 dB(A)</li> <li>• T.H.D.: &lt; 0.5% @ 1 kHz Frequency Response</li> <li>• 50 Hz – 18 kHz, with high pass filter Max. Output Level</li> <li>• Balanced: +16 dBV / 0 dBV; Unbalanced: +10 dBV / 0 dBV</li> <li>• Hand Held Transmitter Specification Frequency Range: UHF 480 – 934 MHz</li> </ul>		

Item	Specification	Statement of Compliance	Brand Offered
	<ul> <li>4.4. Mixing Amplifier</li> <li>Mixer Amplifier Series; 240W (RMS), 495W Total power loading, 110V/220V/8Ω, zone selector (x5), All call(x1), ≥5 channels</li> </ul>		
	<ul> <li>4.5. Wall Speaker</li> <li>Rated Power: ≥30W</li> <li>3.5" Woofer x 6 + 3.25" Tweeter x 1</li> <li>Impedance: ≥333Ω</li> <li>Sensitivity: ≥93dB</li> <li>Dimension (LWD): 813x124x108 mm</li> <li>Housing: Aluminum alloy; Grille: aluminum</li> <li>Weight: ≤5.8kg.</li> <li>Mounting: Aluminum alloy multi-bracket</li> </ul>		
5	<ol> <li>WORKSTATION COMPUTER</li> <li>Processor         <ul> <li>CPU Architecture Technology: Processor model should at least be the latest release</li> <li>Base Speed Frequency: 2.9 GHz, up to 4.1 GHz</li> <li>Cores: ≥ 6 Cores</li> <li>Cache: ≥ 9MB Cache</li> </ul> </li> <li>Operating System         <ul> <li>Type: Latest Stable Proprietary OS 64-bit</li> <li>Version: Professional version (Must have the capability to join Active Directory)</li> <li>A certificate of Authenticity (COA) or the Genuine Label of the license from the OS provider should be provided (Holographic Image Sticker)</li> </ul> </li> <li>Office Productivity Software         <ul> <li>Type: Latest Stable Proprietary OPS for Corporate Application Perpetual</li> <li>Version: Standard, Inclusive of Word Processor, Spreadsheet, Presentation &amp; Email for offline use</li> </ul> </li> <li>Memory         <ul> <li>Capacity: ≥ 32 GB DDR4</li> <li>Speed: ≥ DDR4-2600mhz</li> <li>Graphics Controller</li> <li>Dedicated Video Graphics Card, supports dual video cards</li> <li>≥ 4GB VRAM with at least 128-bit Memory</li> </ul> </li> </ol>		

Item	Specification	Statement of Compliance	Brand Offered
	Interface Width f. Support for DirectX 11 or higher, GDDR5 memory interface		
	<ul><li>5. Keyboard: Standard English (same brand as PC)</li><li>6. Pointing Device: Standard Optical Mouse USB (same brand as PC)</li></ul>		
	<ul> <li>7. I/O Ports <ul> <li>a. All ports should be         INTEGRATED/BUILT-IN (no USB conversions/extension/adapters)</li> <li>b. ≥ 2 x USB 3.0 port</li> <li>c. ≥1 x headphone / microphone or combo jack</li> <li>d. ≥ 1 x audio out jack</li> <li>e. 1 x RJ-45 LAN port</li> <li>f. 1 x HDMI</li> </ul> </li> <li>8. Display: two (2) sets with ≥ 24.5" LED         Technology with VGA or DisplayPort and HDMI</li> <li>9. Hard Drive: ≥ 240gb SSD, ≥ 1 TB HDD <ul> <li>a. Sound Controller: Integrated/built-in High-Definition Audio system</li> </ul> </li> <li>b. Communication: MUST BE         INTEGRATED/BUILT-IN (no USB conversions/extension)</li> <li>10. Wireless - Dual Band Wireless - 802.11 ac/a/b/g/n;</li> <li>11. Ethernet - Integrated 10/100/1000MB Base-TX</li> <li>12. Battery/UPS:         <ul> <li>a. ≥ 600 VA with AVR; Warranty and Replacement for the battery 1 Year</li> </ul> </li> <li>13. Power Supply: Power Supply at least 500 watts 80+ Bronze Efficiency</li> </ul>		
	14. Warranty & SLA: Three (3) years Hardware Warranty  LAPTOP		
6	<ol> <li>Processor:         <ul> <li>a. CPU Architecture Technology:</li> <li>Processor model should at least be the latest release</li> <li>b. Base Speed Frequency: 1.6 GHz, up to 4.2 GHz</li> <li>c. Cores: ≥ 4 Cores</li> <li>d. Cache: ≥ 6MB Smart Cache</li> </ul> </li> <li>Operating System:</li> </ol>		
	a. Type: Latest Stable Proprietary OS 64-bit b. Version: Professional version (Must have the capability to join Active Directory) c. A certificate of Authenticity (COA) or the Genuine Microsoft Label (GML) of the license from the OS provider should be		

		Statement	
Téann	Charification	of	Duand Offered
Item	Specification	Compliance	Brand Offered
	provided (Holographic Image Sticker)		
	3. Office Productivity Software:		
	a. Type: Latest Stable Proprietary OPS for		
	Corporate Application Perpetual		
	b. Version: Standard, Inclusive of Word		
	Processor, Spreadsheet, Presentation &		
	Email for offline use		
	4. Memory:		
	a. Capacity: ≥16 Gb DDR4		
	<ul><li>b. Speed: DDR4 - ≥ 2600mhz</li><li>5. Keyboard: Built-in</li></ul>		
	6. Pointing Devices/Mouse:		
	a. Type: Touchpad with multi-gesture and		
	scrolling function and inclusive of		
	Standard Optical Mouse USB (mouse		
	should be the same brand of the laptop		
	being offered)		
	7. Graphics Controller: Integrated		
	8. I/O Ports: All ports should be		
	INTEGRATED/BUILT-IN (no USB		
	conversions/extension/adapters)		
	$a. \ge 2 \times USB 3.0 \text{ port}$		
	b. 1 x headphone / microphone or combo		
	jack		
	c.1 x RJ-45 LAN port d.1 x HDMI		
	9. Display: ≥13.3" inch LED Display with a		
	built-in webcam		
	10. Hard Drive: ≥ 240 GB SSD		
	11. Sound Controller: Integrated/built-in High-		
	Definition Audio system		
	12. Weight: ≤ 1.5 kg. including battery 13. Communication: MUST BE INTEGRATED /		
	BUILT-IN (no USB		
	conversions/extension/adapters)		
	a. Wireless - Integrated Dual Band		
	Wireless - 802.11 ac/a/b/g/n; Bluetooth		
	4.0		
	b. Ethernet - Integrated 10/100/1000MB		
	Base-TX		
	14. Battery: Battery at least 6 hours' operation with		
	one full charge		
	15. Warranty & SLA: a. Three (3) years Hardware Warranty		
	b. One year on Mouse, Keyboard		
	c. < 4 hours' response time for issues		
	reported (thru Help Desk)		
7	65" SMART TV/MONITOR		
	• 4K UHD (3840 x 2160) LCD Display		

Item	Specification	Statement of Compliance	Brand Offered
	<ul> <li>2100 PQI</li> <li>120+ Motion Rate</li> <li>HDR10, HDR10+, Dolby Vision, HLG support</li> <li>UHD micro-Dimming</li> </ul>		
8	1. INPUT  • ≥10KVa • 220/230/240Vac • 120-276Vac • 50Hz:45-55Hz;60Hz:54-66Hz(auto sensing) • ≥0.99 • Max. voltage: 220V: +25% (optional +10%, +15%, +20%)  240V: +15% (optional +10%) • Min. voltage: -45% (optional -20%,-30%) • Frequency protection range:± 10% • Same as the bypass • <3%(100% linear load) • Support 2. OUTPUT • 220/230/240Vac • Power Factor: 1 • Voltage Regulation: ±1% • Line Mode: ±1%/±2%/± 4%/±5%/ ± 10% of the rated frequency (optional) • Bat. Mode: 50/60( ± 0.1)Hz • Crest Factor: 3:1 • THDv: ≤2% with linear load • THDv: ≤5% with non-linear load • Efficiency: >93% • BATTERY • ± 96/108/120Vdc • 12V-7Ah/9Ah		
9	<ul> <li>GENERATOR w/ ATS</li> <li>Prime power: 100KVA</li> <li>Rated voltage: 220V</li> <li>Rated current: 115.2A</li> <li>Rated frequency: 50Hz</li> <li>The factor of rated power COS=0.8lagging</li> <li>The regulating rate of steady voltage: ≤ 1%</li> <li>The regulating rate of instantaneous voltage: 15%~+20%</li> <li>The time of steady voltage: ≤ 1.5sec</li> <li>The waving rate of voltage: ≤ 1.0%</li> <li>The regulating rate of steady frequency: ≤ 3%</li> </ul>		

Item	Specification	Statement of Compliance	Brand Offered
10	frequency: ≤ ± 10%  • The time of steady frequency: 3sec  • The waving rate of frequency: ≤ 1%  • Displacement (L): 5.9  • The waste of fuel with full load: ≤ 210g/kwh  • Lube-oil consumption (L): 16.4  • The main parameters of the diesel engine  • Type: four strokes, waste gas turbine boost, direct spurting type  • Cylinder: 4 cylinders  • Cooling way: water cooling  • Rotating speed: 1500r/min  • The regulation of rotating speed: Electrical speed regulator  • Starting way: DC24V starting with electricity  VTC EQUIPMENT SET		
	<ul> <li>10.1 Monitor</li> <li>55" Smart TV</li> <li>4K UHD</li> <li>3840 x 2160</li> <li>60FPS / TM120</li> <li>a. Mobile/Trolley Stand</li> <li>Weight supported: ≤ 40 kg</li> <li>VESA Standard</li> </ul>		
	<ul> <li>USB3.0 plug &amp; play and HDMI video output interface</li> <li>Full HD 1080p high-definition signal output format with a high frame rate of 30 fps</li> <li>Up to 10x optical zoom</li> <li>Horizontal viewing angle: 72° Pan angle from -100° to +100°; tilting angle from -30° to +30</li> </ul>		
	<ul> <li>10.3 Speaker-microphone</li> <li>Plug-and-play USB connectivity</li> <li>AEC (Acoustic Echo Cancellation)</li> <li>Background noise suppression</li> <li>Volume adjustable</li> </ul>		
	OTHER REQUIREMENTS:		
a	The audio discussion system and camera should be able to integrate with the video wall controller.		
b	The audio discussion system, video wall controller, and camera should be compatible with		

Item	Specification	Statement of Compliance	Brand Offered
	Google meet/hangouts, Zoom and Skype for Business.		
С	Includes mobilization/demobilization, O&M manual, engineering supervision, testing and commissioning.		
d	Includes installation, cabling, cable pulling, connectors, labor, testing and installation materials.		
e	Includes pipes, conduits, hangers/supports, junction boxes, screws, nuts, bolts, end-connectors and other hardware materials. Includes labor, such as masonry and drilling works.		
f	The Service Provider shall provide Full Systems Design and Implementation, and Photo Documentation, hard bound and electronic copy.		
g	The Service Provider shall provide all other necessary ICT equipment, components, cables, I/O ports, labeling, etc. as deemed necessary by the Client in the completion and operationalization of the project.		
h	The proposed brand for the LED Wall, Video Controller and audio system should have at least Two (2) deployments each (quantity should be equal or more) in the Philippines with proof of very satisfactory from the clients.		
i	Warranty: Three (3) years on parts and services upon signing of the certificate of completion. Parts replacement should be next business day.		

## **NOTES:**

- 1. For the purpose of bid evaluation, the required evidence as reference to the statement of compliance shall be in the form of brand and photo of the product/item being offered. Bidders must indicate their statement of compliance, brand of the item being offered, and attach also the respective photo of the item being offered.
- 2. The requirement of evidence as reference to the statement of compliance is only applicable for the items or goods that are subject for the bidding at hand. Evidence as reference to the compliance with the "Other Requirements" is not required. However, bidder shall still explicitly provide their statement of compliance with the prescribed "Other Requirements". Statement of Compliance under the "Other Requirements" will be verified during the post qualification stage.

# Section VIII. Checklist of Technical and Financial Documents

## Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

## **Checklist of Technical and Financial Documents**

### I. TECHNICAL COMPONENT ENVELOPE

## Class "A" Documents Legal Documents Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages); (a) Registration certificate from Securities and Exchange Commission (SEC), (b) Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document, and Mayor's or Business permit issued by the city or municipality where the (c) principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas; and Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved (d) by the Bureau of Internal Revenue (BIR). Technical Documents Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and Statement of the bidder's Single Largest Completed Contract (SLCC) similar (f) to the contract to be bid, except under conditions provided for in Sections

23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents;

and

(g) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;

<u>or</u>


Original copy of Notarized Bid Securing Declaration; and

(h) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable;

and
Original duly signed Omnibus Sworn Statement (OSS);

if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

<u>Financ</u>	<u>ial Documents</u>					
☐ (j)	The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of					
	bid submission;					
	<u>and</u>					
(k)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC). Attach certified true copy of annual Income Tax Return (ITR);					
	<u>or</u>					
	A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.					
	Class "B" Documents					
(1) If applicable, a duly signed joint venture agreement (JVA) in ca						
	venture is already in existence – in case such, explicitly specify which among					
	the parties are the primary entity;					
	or					
	duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance					
	that the bid is successful.					
II. FINAN	CIAL COMPONENT ENVELOPE					
(m	Original of duly signed and accomplished Financial Bid Form;					
	and					
$\square$ (n)	Original of duly signed and accomplished Price Schedule(s).					
Other o	locumentary requirements under RA No. 9184 (as applicable)					
(o)	[For foreign bidders claiming by reason of their country's extension of					
_	reciprocal rights to Filipinos] Certification from the relevant government					
	office of their country stating that Filipinos are allowed to participate in					
	government procurement activities for the same item or product.					
[ (p)						
	Bidder or Domestic Entity.					



### MARKING AND SEALING OF ENVELOPE:

#### ORIGINAL - TECHNICAL COMPONENT

MR. ENRIQUE H. GASCON JR.

Chairperson

Bids and Awards Committee

DSWD-CAR

#40 North Drive, Baguio City

Project: [Project Title] [Lot (if applicable)]

Submitted by: **BIDDER'S COMPANY NAME** 

**BIDDERS CONTACT DETAILS** 

DO NOT OPEN BEFORE: Time / Date

#### ORIGINAL - FINANCIAL COMPONENT

### MR. ENRIQUE H. GASCON JR.

Chairperson

**Bids and Awards Committee** 

DSWD-CAR

#40 North Drive, Baguio City

Project: [Project Title] [Lot (if applicable)]

Submitted by: **BIDDER'S COMPANY NAME** 

**BIDDERS CONTACT DETAILS** 

DO NOT OPEN BEFORE: Time / Date

#### **COPY 1 – TECHNICAL COMPONENT**

### MR. ENRIQUE H. GASCON JR.

Chairperson

Bids and Awards Committee

DSWD-CAR

#40 North Drive, Baguio City

Project: [Project Title] [Lot (if applicable)]

Submitted by: **BIDDER'S COMPANY NAME** 

**BIDDERS CONTACT DETAILS** 

DO NOT OPEN BEFORE: Time / Date

#### **COPY 1- FINANCIAL COMPONENT**

### MR. ENRIQUE H. GASCON JR.

Chairperson

**Bids and Awards Committee** 

DSWD-CAR

#40 North Drive, Baguio City

Project: [Project Title] [Lot (if applicable)]

Submitted by: **BIDDER'S COMPANY NAME** 

**BIDDERS CONTACT DETAILS** 

DO NOT OPEN BEFORE: Time / Date

### ORIGINAL - BID

#### MR. ENRIQUE H. GASCON JR.

Chairperson

Bids and Awards Committee

DSWD-CAR

#40 North Drive, Baguio City

Project: [Project Title] [Lot (if applicable)]

Submitted by: **BIDDER'S COMPANY NAME** 

**BIDDERS CONTACT DETAILS** 

DO NOT OPEN BEFORE: Time / Date

### <u>COPY 1 – BID</u>

#### MR. ENRIQUE H. GASCON JR.

Chairperson

Bids and Awards Committee

DSWD-CAR

#40 North Drive, Baguio City

Project: [Project Title] [Lot \_\_\_ (if applicable)]

Submitted by: **BIDDER'S COMPANY NAME** 

BIDDERS CONTACT DETAILS

DO NOT OPEN BEFORE: Time / Date

## **BIDDING DOCUMENTS**

### MR. ENRIQUE H. GASCON JR.

Chairperson

Bids and Awards Committee

DSWD-CAR

#40 North Drive, Baguio City

Project: [Project Title] [Lot \_\_\_\_ (if applicable)]

Submitted by: **BIDDER'S COMPANY NAME** 

**BIDDERS CONTACT DETAILS** 

DO NOT OPEN BEFORE: Time / Date

## **Omnibus Sworn Statement (Revised)**

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES	S)
CITY/MUNICIPALITY OF	) S.S

### **AFFIDAVIT**

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
- 1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical

Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract:
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN	<b>WITNESS</b>	WHEREOF,	I have	hereunto	set	my	hand	this	 day	of	,	20	at
		_, Philippines.											

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

### [Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

## **Performance Securing Declaration (Revised)**

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

REPUBLIC OF THE PHILIPPINES)		
CITY OF	) S.S.	

### PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents]
To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
- I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years <u>for the second offense</u>, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
- 3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
  - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
    - i. Procuring Entity has no claims filed against the contract awardee;
    - ii. It has no claims for labor and materials filed against the contractor; and
    - iii. Other terms of the contract; or
  - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

**IN WITNESS WHEREOF,** I/We have hereunto set my/our hand/s this \_\_\_\_ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]

Affiant

### [Jurat]

[Format shall be based on the latest Rules on Notarial Practice]