

**REQUEST FOR QUOTATION (RFQ)**

PR/PP No.: 2021-12-662

End-user: RICTMS

Name of Project:

PURCHASE AND DELIVERY OF VARIOUS ICT SERVICES IN THE FO, CENTERS AND CARE FACILITIES, SATELLITE OFFICES AND SWAD OFFICES

RFQ No.: 2021-12-1123

Date: DEC 24 2021

ABC: P999,000.00

**Sir/Madam:**

**Mode of Procurement: SMALL VALUE PROCUREMENT**

Please quote your lowest price on the item/s described below inclusive of taxes duly signed by you or your authorized representative, subject to the Terms and Condition provided in this RFQ and submit personally to the Office of the Procurement Section, 40 North Drive, Baguio City or through email at [bacsec.car@dswd.gov.ph](mailto:bacsec.car@dswd.gov.ph) on or before

DEC 28 2021 12:00NN

**ENRIQUE H. GASCON JR.**  
OIC-ARDA/BAC Chairperson

**TERMS AND CONDITIONS:**

1. Quotations in excess of the ABC will be **REJECTED**.
2. For total quoted price , quotations with a dash or zero shall be deemed free of charge.
3. All entries must be typewritten/printed/longhand. Any erasure in the quotation must be countersigned by the bidder/representative, otherwise quotation will be rejected.
4. The Procuring Entity may give due preference to goods being offered with green component.
5. If necessary, the BAC through the TWG, may require an ocular inspection of the venue/place of business/goods being offered.
6. Delivery of Goods / Services is as indicated in the next page.
7. Price validity shall be for a period of 120 calendar days from RFQ Opening of the BAC until confirmation of Purchase Order by the winning supplier.
8. The following documents shall be attached upon submission of quotation, otherwise your quotation will not be accepted, please disregard if already submitted:
  - a. Updated Mayor's / Business Permit
  - b. PhilGEPS Registration Certificate or PhilGEPS Registration Number to be indicated in space below (except for Negotiated Procurement - Emergency Cases, Sec. 53.2, RA 9184 IRR)
  - c. Income/Business Tax Return (for Small Value Procurement, Direct Contracting above P500K, Emergency Cases above P500K, and Lease of Real Property/Venue).
  - d. Official Receipt Issued by BIR ( a mere picture can suffice)
9. Where there is discrepancy between: (a) total price per item and unit price for the item as extended or multiplied by the quantity of that item, the unit price shall prevail; (b) stated total price and the actual sum of prices of component items, the lower shall prevail; (c) unit cost in the detailed estimate and unit cost in the bill of quantities, the latter shall prevail.
10. Suppliers/Contractors who refuse to accept correction of price offer after Bid Evaluation shall be disqualified.
11. Award of Contract shall be made to the Lowest Calculated Responsive Quotation (LCRQ) that complies to the technical specifications and the terms and conditions stated herein.
12. The BAC shall require the bidder with Lowest Calculated Responsive Quotation (LCRQ) to submit the Omnibus Sworn Statement prior to issuance of Award / Purchase Order with ABC amounting to **P500,000.00 for Emergency Cases and P50,000.00 above for Small Value Procurement.**
13. If the Supplier fails to deliver the required goods /services as specified in the Award / Purchase Order, the Procuring Entity may **disqualify bidder from participating future procurement activities to be conducted by DSWD-CAR.**
14. **Liquidated damages equivalent to one tenth of one percent (0.001)** of the value of the goods not delivered within the prescribed delivery period may be imposed per day of delay. The Procuring Entity (PE ) may rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
15. Further information may be obtained from the Procurement Section with telephone number **[074] 661-0430 local 25025** or email address [bacsec.car@dswd.gov.ph](mailto:bacsec.car@dswd.gov.ph).

REQUEST FOR QUOTATION (RFQ)					
ITEM NO.	DETAILED DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
	PURCHASE AND DELIVERY OF VARIOUS ICT SERVICES IN THE FO, CENTERS AND CARE FACILITIES, SATELLITE OFFICES AND SWAD OFFICES				
1	DESKTOP COMPUTER Please see attached specifications	10	UNIT		
2	TABLET Please see attached specifications	1	UNIT		
3	FPV DRONE Please see attached specifications	2	UNIT		
<b>TOTAL PRICE</b>					
<b>OTHER REQUIREMENTS</b>					<b>COMPLIANCE</b>
Delivery period is within 10 working days upon receipt of Purchase Order. When the last day of delivery falls on a weekend/holiday, the deadline shall be on the next working day. Delivery Place: DSWD-CAR, 40 North Drive, Baguio City					<small>                         Please indicate if you can comply with the following requirements:                          ( ) Yes ( ) No ( ) Not Sure                     </small>
					Can Comply [ ] Cannot Comply [ ]
• Award shall be made per: <input checked="" type="checkbox"/> Item Basis <input type="checkbox"/> Lot Basis					

**Note: NO GIFT ALLOWED.** Pursuant to RA 6713, otherwise known as the Code of Conduct and Ethical Standards for Public Officials and Employees. The DSWD reserves the right to reject any or all offers at no costs, waive any therein and accept the offer most advantageous to the government.

Sir:

After having carefully read and accepted your terms and conditions, I / We submit our bid on the item/s quoted above.

Signature of supplier/representative over printed name:

Name of Firm/Dealer/Contractor:

(This will be the name of the CHECK to be issued)

Address:

Name and Signature of Canvasser

Email Address:

Contact Number/s:

PhilGEPS Registration Number:

## DESKTOP TECHNICAL SPECIFICATIONS

### 1. Processor :

a. CPU Architecture Technology: Processor model should at least be the latest release

b. Base Speed Frequency : 1.6 GHz, up to 4.2 GHz

c. Cores : ≥ 4 Cores

d. Cache : ≥ 6MB Smart Cache

### 2. Operating System :

a. Type : Latest Stable Proprietary OS 64-bit

b. Version : Professional version (Must have the capability to join Active Directory)

c. A certificate of Authenticity (COA) or the Genuine Microsoft Label (GML) of the license from the OS provider should be provided (Holographic Image Sticker)

### 3. Office Productivity Software :

e. Type : Latest Stable Proprietary OPS for Corporate Application Perpetual

f. Version : Standard, Inclusive of Word Processor, Spreadsheet, Presentation & Email for offline use

### 4. Memory :

a. Capacity: ≥16 Gb DDR4

b. Speed : DDR4 - ≥ 2600mhz

### 5. Keyboard : Built-in

### 6. Pointing Devices/Mouse :

a. Type : Touchpad with multi-gesture and scrolling function and inclusive of Standard Optical Mouse USB (mouse should be the same brand of the laptop being offered)

### 7. Graphics Controller : Integrated

### 8. I/O Ports : All ports should be INTEGRATED/BUILT-IN

(no USB conversions/extension/adapters)

a. ≥ 2 x USB 3.0 port

b. 1 x headphone / microphone or combo jack

c.1 x RJ-45 LAN port

d.1 x HDMI

### 9. Display : ≥14" inch LED Display with a built-in webcam

### 10. Hard Drive : ≥ 240 GB SSD

### 11. Sound Controller : Integrated/built-in High Definition Audio system

### 12. Weight : ≤ 1.5 kg. including battery

### 13. Communication : MUST BE INTEGRATED / BUILT-IN

(no USB conversions/extension/adapters)

a. Wireless - Integrated Dual Band Wireless - 802.11 ac/a/b/g/n; Bluetooth 4.0

b. Ethernet - Integrated 10/100/1000MB Base-TX

### 14. Battery: Battery at least 6 hours' operation with one full charge

### 15. Warranty & SLA :

a. Three (3) years Hardware Warranty

b. One (1) year on Mouse, Keyboard

c. < 4 hours' response time for issues reported (thru Help Desk)

d. A Service Unit must be issued for a unit that can't be repaired within the day. (For Central Office Only)

e. For reported hardware replacement, the Service Provider shall be the one to pull out the unit.

### 16. To protect DSWD from unreliable and unproven products the following is required:

a. Manufacturer of the proposed brand should be ISO 9000 certified or better

b. Proposed BRAND should be Energy Star Compliant
c. Proposed BRAND should have an existing technical web support system where the brand providers/ bidders can log-in and key-in product service codes/item codes for faster tracking of defective / RMA products and faster turn-around of technical support
d. Manufacturer's Proposed Brand must be capable of supporting Nationwide deployment and with at least 1 or more accredited Service Centers in Luzon, Visayas and Mindanao (Proof or List of Nationwide Service Center should be submitted)
e. Manufacturer's proposed brand is an International Brand Name, which means that the brand is known and marketed globally and have international presence (physical stores, centers, or satellite offices) in at least 5 countries. Further, the brand should be sold and marketed continuously in the Philippines for the last ten (10) years
<b>17. Delivery Period: 45 Calendar Days</b>

TABLET TECHNICAL SPECIFICATIONS	
<b>NETWORK</b>	Technology GSM / HSPA / LTE
	=> 247.6 x 178.5 x 6.1 mm (9.75 x 7.03 x 0.24 in)
<b>BODY</b>	Dimensions Glass front, aluminum back, aluminum frame
	Build Nano-SIM, eSIM
	SIM Stylus support
	Type Liquid Retina IPS LCD, 500 nits (typ)
<b>DISPLAY</b>	Size 10.9 inches, 359.2 cm <sup>2</sup> (~81.3% screen-to-body ratio)
	Resolution 1640 x 2360 pixels (~264 ppi density)
	Protection Scratch-resistant glass, oleophobic coating
	True-tone
	Wide color gamut
	CPU Hexa-core (2x3.0 GHz Firestorm + 4x1.8 GHz Icestorm)
<b>MEMORY</b>	GPU (4-core graphics)
	Card slot No
	Internal >= 256GB 4GB RAM
<b>MAIN CAMERA</b>	Modules 12 MP, f/1.8, (wide), 1/3", 1.22µm, dual pixel PDAF
	Features HDR
	Video 4K@24/30/60fps, 1080p@30/60/120/240fps; gyro-EIS
<b>SELFIE CAMERA</b>	Modules 7 MP, f/2.0, 31mm (standard)
	Features HDR
	Video 1080p@30/60fps
<b>SOUND</b>	Loudspeaker Yes, with stereo speakers
	3.5mm jack No
	Wi-Fi 802.11 a/b/g/n/ac/6, dual-band, hotspot
<b>COMMS</b>	WLAN 5.0, A2DP, EDR
	Bluetooth Yes, with A-GPS, GLONASS (LTE model only)
	GPS No
	NFC No
	Infrared port No
	Radio No
	USB USB Type-C; magnetic connector
<b>FEATURES</b>	USB Fingerprint (top-mounted), accelerometer, gyro, compass, barometer
	Sensors Siri natural language commands and dictation
<b>BATTERY</b>	Sim Card Sim Card Slot
	Type Li-Ion 7606 mAh (28.93 Wh), non-removable
	Talk time Up to 10 h (multimedia)

## FPV DRONE Technical Specs

<b>Camera</b>	
<b>Sensor</b>	1/2.3" CMOS Effective pixels: 12 million FOV: 150° 35mm Format Equivalent: 14.66 mm Aperture: f/2.8 Focus Mode: Fixed Focus 100-12800 1/50 1/8000 s Single shot 3840x2160 JPEG 4K: 3840x2160 at 50/60fps FHD: 1920x1080 at 50/60/100/120fps MP4/MOV (H.264/MPEG-4 AVC, H.265/HEVC) 120 Mbps Standard, D-Cinelike Available Available exFAT (*recommended) FAT32
<b>Lens</b>	
<b>ISO</b>	
<b>Shutter Speed</b>	
<b>Still Photography Modes</b>	
<b>Max Image Size</b>	
<b>Photo Format</b>	
<b>Video Resolution</b>	
<b>Video Formats</b>	
<b>Max Video Bitrate</b>	
<b>Color Profile</b>	
<b>RockSteady EIS</b>	
<b>Distortion Correction</b>	
<b>Supported File Formats</b>	

<b>Gimbal</b>	
<b>Mechanical Range</b>	Tilt: 65° to 70°
<b>Controllable Range</b>	Tilt: 50° to 58°
<b>Stabilization</b>	Single-axis (tilt), electronic roll axis
<b>Max Control Speed</b>	60°/s
<b>Angular Vibration Range</b>	±0.01° (N mode)
<b>Electronic Roll Axis</b>	Available (can stabilize footage when the aircraft is tilted at angles of up to 10°)

<b>Aircraft</b>	
<b>Takeoff Weight</b>	Approx. 795 g
<b>Dimensions</b>	255x312x127 mm (with propellers) 178x232x127 mm (without propellers) 245 mm
<b>Diagonal Distance</b>	
<b>Max Ascent Speed</b>	M mode: No limit S mode: 15 m/s N mode: 8 m/s
<b>Max Descent Speed</b>	M mode: No limit S mode: 10 m/s N mode: 7 m/s
<b>Max Speed</b>	140 kph, M mode: 39 m/s (27 m/s in Mainland China) S mode: 27 m/s N mode: 15 m/s
<b>Max Acceleration</b>	0-100 kph: 2 s (in ideal conditions while flying in M mode)
<b>Max Service Ceiling Above Sea Level</b>	6,000 m

Max Flight Time	Approx. 20 mins (measured while flying at 40 kph in windless conditions)
Max Hover Time	Approx. 16 mins (measured when flying in windless conditions)
Max Flight Distance	16.8 km (measured while flying in windless conditions)
Max Wind Speed Resistance	39-49 kph (25-31 mph)
Operating Temperature	-10° to 40° C (14° to 104° F)
Transmitter Power (EIRP)	2.400-2.4835 GHz
	FCC: ≤ 31.5dBm
	CE: ≤ 20 dBm
	SRRC: ≤ 20 dBm
	MIC: ≤ 20 dBm

<b>Intelligent Flight Battery</b>	
Battery Capacity	2000 mAh
Voltage	22.2 V
Max Charging Voltage	25.2 V
Battery Type	LiPo 6S
Energy	44.1 Wh@0.5C
Discharge Rate	Standard: 10C

<b>FPV Goggles</b>	
Weight	Approx. 420 g (headband and antennas included)
Dimensions	184x122x110 mm (antennas excluded)
	202x126x110 mm (antennas included)
Screen Size	2-inches (x2)
Screen Refresh Rate	144 Hz

Communication Frequency	2.400-2.4835 GHz
	5.725-5.850 GHz
Transmitter Power (EIRP)	2.400-2.4835 GHz
	FCC: ≤ 28.5 dBm
	CE: ≤ 20 dBm
	SRRC: ≤ 20 dBm
Communication Bandwidth	MIC: ≤ 20 dBm
	5.725-5.850 GHz
	FCC: ≤ 31.5 dBm
	CE: ≤ 14 dBm
	SRRC: ≤ 19 dBm
	40 MHz (Max.)

<b>FPV Remote Controller</b>	
Operating Frequency	2.400-2.4835 GHz
	5.725-5.850 GHz
	2.400-2.4835 GHz
	FCC: ≤ 28.5 dBm
	CE: ≤ 20 dBm
	SRRC: ≤ 20 dBm

Transmitter Power (EIRP)

MIC: ≤ 20 dBm
5.725-5.850 GHz
FCC ≤ 31.5 dBm
CE: ≤ 14 dBm
SRRC: ≤ 19 dBm
10 km (FCC), 6 km (CE), 6 km (SRRC), 6 km (MIC)
Approx 9 hours

Max. Transmission Distance	10 km (FCC), 6 km (CE), 6 km (SRRC), 6 km (MIC)
Battery Life	Approx 9 hours

Weight	>= 167 g
Operating Frequency Range	2.400-2.4835 GHz; 5.725-5.850 GHz
Max Transmission Distance (unobstructed, free of interference)	10 km (FCC), 6 km (CE/SRRC/MIC)
Transmitter Power (EIRP)	2.4 GHz: ≤28.5 dBm (FCC), ≤20 dBm (CE/ SRRC/MIC)
	5.8 GHz: ≤31.5 dBm (FCC), ≤19 dBm (SRRC), ≤14 dBm (CE)
Operating Temperature Range	-10° to 40° C (14° to 104° F)
Battery Life	300 minutes

Motion Controller	
Weight	>= 167 g
Operating Frequency Range	2.400-2.4835 GHz; 5.725-5.850 GHz
Max Transmission Distance (unobstructed, free of interference)	10 km (FCC), 6 km (CE/SRRC/MIC)
Transmitter Power (EIRP)	2.4 GHz: ≤28.5 dBm (FCC), ≤20 dBm (CE/ SRRC/MIC)
	5.8 GHz: ≤31.5 dBm (FCC), ≤19 dBm (SRRC), ≤14 dBm (CE)
Operating Temperature Range	-10° to 40° C (14° to 104° F)
Battery Life	300 minutes